



DEPARTAMENTO “SEGURIDAD OPERACIONAL”
SUBDEPARTAMENTO “LICENCIAS”

“CESSNA P210 (Turbine) (C10T)”

“CC-PON”

NOMBRE: _____ **FIRMA:** _____

FECHA : _____

A.- LIMITACIONES DE OPERACIÓN

1.- Limitaciones (KIAS)	
Va (4000 LBS)	
Vne	
Vfe 10° - 20° - 30°	
Vle	
Vlo	
Vx (SL)	
Vy (SL)	
V _{LIFT OFF}	
V _{APP} (FLAPS DN)	
V _{PLANEIO} (4000 LBS)	
Max Cross Wind	

2.- Combustible (GL)	
Tipo a Utilizar	
Capacidad Total STD TANK	
Capacidad Usable STD TANK	

3.- Pesos (LBS)	
Maximum TAKE-OFF	
Maximum LANDING	
Maximum Ramp	
Baggage	

4.- Starter Limitations	

B. - EMERGENCIES PROCEDURES

1. - ENGINE FAILURE DURING TAKEOFF ROLL

Power Lever

Brakes

Condition Lever

Fuel Shutoff

Fuel Pump

Wing Flaps

Turbine Outlet Temperature

2. - ENGINE FAILURE IMMEDIATELY AFTER TAKEOFF

Airspeed

Condition Lever

Fuel Shutoff

Power Lever

Fuel Pump

Wing Flaps

Battery

Generator Switch

Cabin Door Safety Lock

3. - ENGINE FAILURE DURING FLIGHT

Airspeed

Fuel Selector Valve

Fuel Pump

TOT

Power Lever

Condition Lever

Generator

Electrical Load

Restart

4. - FIRE DURING START ON GROUND

Condition Lever

Start Switch

Fuel Pump

Fuel Shutoff

TOT

Fire extinguisher

Engine Secure:

Start Switch

Battery Switch

Exit Aircraft

5. - ENGINE FIRE IN FLIGHT

Condition Lever

Fuel Pump

Fuel Shutoff Valve

Dump Valve Control handle

Bleed Air

Electrical Load

Airspeed

Cowl Flaps

Forced Landing
